Calculus 1 Workbook Solutions

Solving limits

krista king MATH

SOLVING WITH SUBSTITUTION

■ 1. What is the value of the limit?

$$\lim_{x \to 3} -x^4 + x^3 + 2x^2$$

Solution:

Use substitution and plug $x = 3$ into the function.

$$\lim_{x \to 3} -x^4 + x^3 + 2x^2$$

$$-(3)^4 + (3)^3 + 2(3)^2$$

$$-36$$

■ 2. What is the value of the limit?

$$\lim_{x \to 7} \frac{x^2 - 5}{x^2 + 5}$$

Solution:

Use substitution and plug $x = 7$ into the function.

© Krista King Math

$$\lim_{x \to 7} \frac{x^2 - 5}{x^2 + 5}$$

$$\frac{7^2 - 5}{7^2 + 5}$$

$$\frac{44}{54} = \frac{22}{27}$$

3. What is the value of the limit.

$$\lim_{x \to -2} \frac{x^3 - 5x^2 + 4x - 6}{x^2 + 7x + 6}$$

Solution:

Use substitution and plug $x = -2$ into the function.

$$\lim_{x \to -2} \frac{x^3 - 5x^2 + 4x - 6}{x^2 + 7x + 6}$$

$$\frac{(-2)^3 - 5(-2)^2 + 4(-2) - 6}{(-2)^2 + 7(-2) + 6}$$

$$\frac{21}{2}$$

© Krista King Math

SOLVING WITH FACTORING

■ 1. What is the value of the limit?

$$\lim_{x\to -7} \frac{6x^3+42x^2}{2x^2+26x+84}$$

Solution:

If the limit is evaluated using substitution, the limit is undefined. However, we can factor it.

$$\lim_{x\to -7} \frac{6x^3+42x^2}{2x^2+26x+84}$$

$$\lim_{x\to -7} \frac{6x^2(x+7)}{2(x+6)(x+7)}$$

$$\lim_{x\to -7} \frac{6x^2}{2(x+6)}$$

Now we can evaluate the limit at $x=-7$ using substitution.

$$\frac{6(-7)^2}{2\left(-7+6\right)}$$

$$-147$$

© Krista King Math

2. What is the value of the limit?

$$\lim_{x \to 10} \frac{3x^2 - 39x + 90}{x^2 - 3x - 70}$$

Solution:

If the limit is evaluated using substitution, the limit is undefined. However, we can factor it.

$$\lim_{x \to 10} \frac{3x^2 - 39x + 90}{x^2 - 3x - 70}$$

$$\lim_{x \to 10} \frac{3(x - 10)(x - 3)}{(x - 10)(x + 7)}$$

$$\lim_{x \to 10} \frac{3(x - 3)}{x + 7}$$

Now we can evaluate the limit at $x = 10$ using substitution.

$$\frac{3(10 - 3)}{10 + 7}$$

$$\frac{21}{17}$$

3. What is the value of the limit?

$$\lim_{x \to -8} \frac{2x^2 + 10x - 48}{8x + 64}$$

© Krista King Math

Solution:

If the limit is evaluated using substitution, the limit is undefined. However, we can factor it.

$$\lim_{x\to -8} \frac{2x^2+10x-48}{8x+64}$$

$$\lim_{x\to -8} \frac{2(x+8)(x-3)}{8(x+8)}$$

$$\lim_{x\to -8} \frac{x-3}{4}$$

Now we can evaluate the limit at $x=-8$ using substitution.

$$\frac{-8-3}{4}$$

$$-\frac{11}{4}$$

■ 4. What is the value of the limit?

$$\lim_{x\to 7} \frac{x^3-x^2-42x}{2x^2-20x+42}$$

Solution:

© Krista King Math

If the limit is evaluated using substitution, the limit is undefined. However, we can factor it.

$$\lim_{x\to 7} \frac{x^3 - x^2 - 42x}{2x^2 - 20x + 42}$$

$$\lim_{x\to 7} \frac{x(x-7)(x+6)}{2(x-3)(x-7)}$$

$$\lim_{x\to 7} \frac{x(x+6)}{2(x-3)}$$

Now we can evaluate the limit at $x = 7$ using substitution.

$$\frac{7(7+6)}{2(7-3)}$$

$$\frac{91}{8}$$

5. What is the value of the limit?

$$\lim_{x\to 8} \frac{x^2 + 2x - 80}{2x^3 - 24x^2 + 64x}$$

Solution:

If the limit is evaluated using substitution, the limit is undefined. However, we can factor it.

© Krista King Math

$$\lim_{x\to 8}\frac{x^2+2x-80}{2x^3-24x^2+64x}$$

$$\lim_{x\to 8}\frac{(x+10)(x-8)}{2x(x-8)(x-4)}$$

$$\lim_{x\to 8}\frac{x+10}{2x(x-4)}$$

Now we can evaluate the limit at $x=8$ using substitution.

$$\frac{8+10}{2(8)(8-4)}$$

$$\frac{18}{64}=\frac{9}{32}$$

© Krista King Math

SOLVING WITH CONJUGATE METHOD

■ 1. What is the value of the limit?

$$\lim_{x\to 16} \frac{3(x-16)}{\sqrt{x}-4}$$

Solution:

Since the limit cannot be evaluated using substitution or factoring, use conjugate method.

$$\lim_{x\to 16} \frac{3(x-16)\left(\sqrt{x}+4\right)}{\left(\sqrt{x}-4\right)\left(\sqrt{x}+4\right)}$$

$$\lim_{x\to 16} \frac{3(x-16)\left(\sqrt{x}+4\right)}{x-16}$$

$$\lim_{x\to 16} 3\left(\sqrt{x}+4\right)$$

Then use substitution to evaluate the limit.

$$3\left(\sqrt{16}+4\right)$$

$$3(4+4)$$

$$24$$

© Krista King Math

2. What is the value of the limit?

$$\lim_{x\to 9}\frac{5\left(\sqrt{x}-3\right)}{x-9}$$

Solution:

Since the limit cannot be evaluated using substitution or factoring, use conjugate method.

$$\lim_{x\to 9}\frac{5\left(\sqrt{x}-3\right)\left(\sqrt{x}+3\right)}{(x-9)\left(\sqrt{x}+3\right)}$$

$$\lim_{x\to 9}\frac{5(x-9)}{(x-9)\left(\sqrt{x}+3\right)}$$

$$\lim_{x\to 9}\frac{5}{\sqrt{x}+3}$$

Then use substitution to evaluate the limit.

$$\frac{5}{\sqrt{9}+3}$$

$$\frac{5}{3+3}$$

© Krista King Math

$$\frac{5}{6}$$

■ 3. What is the value of the limit?

$$\lim_{x\to 25} \frac{2(x-25)}{\sqrt{x}-5}$$

Solution:

Since the limit cannot be evaluated using substitution or factoring, use conjugate method.

$$\lim_{x\to 25} \frac{2(x-25)\left(\sqrt{x}+5\right)}{\left(\sqrt{x}-5\right)\left(\sqrt{x}+5\right)}$$

$$\lim_{x\to 25} \frac{2(x-25)\left(\sqrt{x}+5\right)}{x-25}$$

$$\lim_{x\to 25} 2\left(\sqrt{x}+5\right)$$

Then use substitution to evaluate the limit.

$$2\left(\sqrt{25}+5\right)$$

$$2(5+5)$$

© Krista King Math

20

■ 4. What is the value of the limit?

$$\lim_{x\to 49} \frac{x-49}{3\left(\sqrt{x}-7\right)}$$

Solution:

Since the limit cannot be evaluated using substitution or factoring, use conjugate method.

$$\lim_{x\to 49} \frac{(x-49)\left(\sqrt{x}+7\right)}{3\left(\sqrt{x}-7\right)\left(\sqrt{x}+7\right)}$$

$$\lim_{x\to 49} \frac{(x-49)\left(\sqrt{x}+7\right)}{3(x-49)}$$

$$\lim_{x\to 49} \frac{\sqrt{x}+7}{3}$$

Then use substitution to evaluate the limit.

$$\frac{\sqrt{49}+7}{3}$$

© Krista King Math

$$\frac{7+7}{3}$$

$$\frac{14}{3}$$

5. What is the value of the limit?

$$\lim_{x\to 1} \frac{8(x-1)}{3\left(\sqrt{x}-1\right)}$$

Solution:

Since the limit cannot be evaluated using substitution or factoring, use conjugate method.

$$\lim_{x\to 1} \frac{8(x-1)\left(\sqrt{x}+1\right)}{3\left(\sqrt{x}-1\right)\left(\sqrt{x}+1\right)}$$

$$\lim_{x\to 1} \frac{8(x-1)\left(\sqrt{x}+1\right)}{3(x-1)}$$

$$\lim_{x\to 1} \frac{8\left(\sqrt{x}+1\right)}{3}$$

Then use substitution to evaluate the limit.

© Krista King Math

$$\frac{8\left(\sqrt{1}+1\right)}{3}$$

$$\frac{8(1+1)}{3}$$

$$\frac{16}{3}$$

© Krista King Math

INFINITE LIMITS (VERTICAL ASYMPTOTES)

■ 1. What is the value of the limit?

$$\lim_{x\to 2}\frac{x^2-x-6}{-3x^2-3x+18}$$

Solution:

Factor to simplify the limit.

$$\lim_{x\to 2}\frac{x^2-x-6}{-3x^2-3x+18}$$

$$\lim_{x\to 2}\frac{(x-3)(x+2)}{-3(x+3)(x-2)}$$

No factors can be cancelled. The left- and right-hand limits are

$$\lim_{x\to 2^-}\frac{(x-3)(x+2)}{-3(x+3)(x-2)}=-\infty$$

$$\lim_{x\to 2^+}\frac{(x-3)(x+2)}{-3(x+3)(x-2)}=\infty$$

and they are not the same. Therefore, the limit does not exist (DNE). The graph is shown below.

© Krista King Math



2. What is the value of the limit?

$$\lim_{x\to -1} \frac{x^2+x-6}{4x^2+16x+12}$$

Solution:

Factor to simplify the limit.

$$\lim_{x\to -1} \frac{x^2+x-6}{4x^2+16x+12}$$

$$\lim_{x\to -1} \frac{(x+3)(x-2)}{4(x+3)(x+1)}$$

© Krista King Math

$$\lim_{x \to -1} \frac{x-2}{4(x+1)}$$

No other factors can be cancelled. The left- and right-hand limits are

$$\lim_{x \to -1^-} \frac{x-2}{4(x+1)} = \infty$$

$$\lim_{x \to -1^+} \frac{x-2}{4(x+1)} = -\infty$$

and they are not the same. Therefore, the limit does not exist. The graph is shown below.



3. What is the value of the limit?

© Krista King Math

$$\lim_{x\to -4}\frac{x+5}{-4x-16}$$

Solution:

Factor to simplify the limit.

$$\lim_{x\to -4}\frac{x+5}{-4x-16}$$

$$\lim_{x\to -4}\frac{x+5}{-4(x+4)}$$

No factors can be cancelled. The left- and right-hand limits are

$$\lim_{x\to -4^-}\frac{x+5}{-4(x+4)}=\infty$$

$$\lim_{x\to -4^+}\frac{x+5}{-4(x+4)}=-\infty$$

and they are not the same. Therefore, the limit does not exist. The graph is shown below.

© Krista King Math



4. What is the value of the limit?

$$\lim_{x\to -1} \frac{x^2-9}{3x^2-6x-9}$$

Solution:

Factor to simplify the limit.

$$\lim_{x\to -1} \frac{x^2-9}{3x^2-6x-9}$$

$$\lim_{x\to -1} \frac{(x+3)(x-3)}{3(x-3)(x+1)}$$

© Krista King Math

$$\lim_{x \to -1} \frac{x+3}{3(x+1)}$$

No other factors can be cancelled. The left- and right-hand limits are

$$\lim_{x \to -1^-} \frac{x+3}{3(x+1)} = -\infty$$

$$\lim_{x \to -1^+} \frac{x+3}{3(x+1)} = \infty$$

and they are not the same. Therefore, the limit does not exist. The graph is shown below.



5. What is the value of the limit?

© Krista King Math

$$\lim_{x\to 3}\frac{x^2-4x}{x^2-2x-3}$$

Solution:

Factor to simplify the limit.

$$\lim_{x\to 3}\frac{x^2-4x}{x^2-2x-3}$$

$$\lim_{x\to 3}\frac{x(x-4)}{(x-3)(x+1)}$$

No factors can be cancelled. The left- and right-hand limits are

$$\lim_{x\to 3^-}\frac{x(x-4)}{(x-3)(x+1)}=\infty$$

$$\lim_{x\to 3^+}\frac{x(x-4)}{(x-3)(x+1)}=-\infty$$

and they are not the same. Therefore, the limit does not exist. The graph is shown below.

© Krista King Math



6. What is the value of the limit?

$$\lim_{x\to -2} \frac{x^2-16}{-x^2+x+6}$$

Solution:

Factor to simplify the limit.

$$\lim_{x\to -2} \frac{x^2-16}{-x^2+x+6}$$

$$\lim_{x\to -2} \frac{(x+4)(x-4)}{-(x-3)(x+2)}$$

© Krista King Math

No factors can be cancelled. The left- and right-hand limits are

$$\lim_{x\to -2^-} \frac{(x+4)(x-4)}{-(x-3)(x+2)} = \infty$$

$$\lim_{x\to -2^-} \frac{(x+4)(x-4)}{-(x-3)(x+2)} = -\infty$$

and they are not the same. Therefore, the limit does not exist. The graph is shown below.



© Krista King Math

LIMITS AT INFINITY (HORIZONTAL ASYMPTOTES)

■ 1. What is the value of the limit?

$$\lim_{x\to\infty} \frac{3x^3 - 5x + 2}{9x^3 + 7x^2 - x}$$

Solution:

Since this is a limit as $x \to \infty$, use the powers of the leading terms and their coefficients, since these terms dominate the end behaviors.

If the highest power in the numerator is the same as the highest power in the denominator, then the limit as $x \to \infty$ is the ratio of the leading coefficients.

$$\lim_{x\to\infty} \frac{3x^3 - 5x + 2}{9x^3 + 7x^2 - x} = \lim_{x\to\infty} \frac{3x^3}{9x^3} = \lim_{x\to\infty} \frac{3}{9} = \frac{3}{9} = \frac{1}{3}$$

The graph is shown below.

© Krista King Math



2. What is the value of the limit?

$$\lim_{x\to-\infty}\frac{4x^2+3x+5}{-2x^2+x-9}$$

Solution:

Since this is a limit as $x \to -\infty$, use the powers of the leading terms and their coefficients, since these terms dominate the end behaviors.

If the highest power in the numerator is the same as the highest power in the denominator, then the limit as $x \to -\infty$ is the ratio of the leading coefficients.

© Krista King Math

$$\lim_{x\to-\infty}\frac{4x^2+3x+5}{-2x^2+x-9}=\lim_{x\to-\infty}\frac{4x^2}{-2x^2}=\lim_{x\to-\infty}\frac{4}{-2}=-2$$

The graph is shown below.



3. What is the value of the limit?

$$\lim_{x\to\infty}\frac{x^3+6x^2-4x+1}{x^3+9x+8}$$

Solution:

Since this is a limit as $x\to\infty$, use the powers of the leading terms and their coefficients, since these terms dominate the end behaviors.

© Krista King Math

If the highest power in the numerator is the same as the highest power in the denominator, then the limit as $x \to \infty$ is the ratio of the leading coefficients.

$$\lim_{x\to\infty} \frac{x^3+6x^2-4x+1}{x^3+9x+8} = \lim_{x\to\infty} \frac{x^3}{x^3} = \lim_{x\to\infty} \frac{1}{1} = 1$$

The graph is shown below.



4. What is the value of the limit?

$$\lim_{x\to\infty} \frac{3x^2+5x+8}{x^3-5x-9}$$

Solution:

© Krista King Math

Since this is a limit as $x \to \infty$, use the powers of the leading terms and their coefficients, since these terms dominate the end behaviors.

If the highest power in the numerator is smaller than the highest power in the denominator, then the limit as $x \to \infty$ is 0.

$$\lim_{x\to\infty} \frac{3x^2+5x+8}{x^3-5x-9} = \lim_{x\to\infty} \frac{3x^2}{x^3} = \lim_{x\to\infty} \frac{3}{x} = 0$$

The graph is shown below.



5. What is the value of the limit?

$$\lim_{x\to-\infty} \frac{19x+21}{x^3+15x+11}$$

© Krista King Math

Solution:

Since this is a limit as $x \to -\infty$, use the powers of the leading terms and their coefficients, since these terms dominate the end behaviors.

If the highest power in the numerator is smaller than the highest power in the denominator, then the limit as $x \to -\infty$ is 0.

$$\lim_{x\to-\infty} \frac{19x+21}{x^3+15x+11} = \lim_{x\to-\infty} \frac{19x}{x^3} = \lim_{x\to-\infty} \frac{19}{x^2} = 0$$

The graph is shown below.



© Krista King Math

CRAZY GRAPHS

■ 1. Use the graph to find the value of $\lim_{x \to 1} f(x)$.



Solution:

Notice in the graph that $f(x)$ has a jump discontinuity at $x = 1$.

$$\lim_{x \to 1^-} f(x) = -3$$

$$\lim_{x \to 1^+} f(x) = 4$$

Because these limits are unequal, the limit does not exist (DNE).

© Krista King Math

■ 2. Use the graph to find the value of $\lim_{x \to 5.5} g(x)$.



Solution:

Notice in the graph that $g(x)$ has a jump discontinuity at $x = 5.5$.

$$\lim_{x \to 5.5^-} g(x) = 2$$

$$\lim_{x \to 5.5^+} g(x) = 5$$

Because these limits are unequal, the limit does not exist (DNE).

■ 3. Use the graph to find the value of $\lim_{x \to 4} h(x)$.

© Krista King Math



Solution:

Notice in the graph that $h(x)$ has a discontinuity at $x = 4$.

$$\lim_{x \to 4^-} h(x) = 2$$

$$\lim_{x \to 4^+} h(x) = 2$$

These limits are the same, which means

$$\lim_{x \to 4} h(x) = 2$$

© Krista King Math

TRIGONOMETRIC LIMITS

1. Find $\lim_{x\to\pi} f(x)$ if $f(x) = 3\cos x - 2$.

Solution:

The one-sided limits are

$$\lim_{x\to\pi^-} 3\cos x - 2 = -5$$

$$\lim_{x\to\pi^+} 3\cos x - 2 = -5$$

as shown in the graph below. Therefore, $\lim_{x\to\pi} f(x) = -5$.



© Krista King Math

2. Find $\lim_{x\to\frac{3\pi}{2}} g(x)$ if $g(x) = 4\sin x + 1$.

Solution:

The one-sided limits are

$$\lim_{x\to\frac{3\pi}{2}^-} 4\sin x + 1 = -3$$

$$\lim_{x\to\frac{3\pi}{2}^+} 4\sin x + 1 = -3$$

as shown in the graph below. Therefore, $\lim_{x\to\frac{3\pi}{2}} g(x) = -3$.



© Krista King Math

■ 3. Find $\lim_{x\to-\frac{3\pi}{2}} h(x)$ if $h(x) = \tan\left(\frac{x}{6}\right)$.

Solution:

The one-sided limits are

$$\lim_{x\to-\frac{3\pi}{2}^-} \tan\left(\frac{x}{6}\right) = -1$$

$$\lim_{x\to-\frac{3\pi}{2}^+} \tan\left(\frac{x}{6}\right) = -1$$

as shown in the graph below. Therefore, $\lim_{x\to-\frac{3\pi}{2}} h(x) = -1$.



© Krista King Math

MAKING THE FUNCTION CONTINUOUS

■ 1. What value of c makes the function $h(x)$ continuous if c is a constant?

$$h(x) = \begin{cases} x^2 & \text{if } x \leq 4 \\ 3x + c & \text{if } x > 4 \end{cases}$$

Solution:

Since $h(x)$ is defined as a piecewise function, $x^2 = 3x + c$ at $x = 4$.

$$4^2 = 3(4) + c$$

$$16 = 12 + c$$

$$c = 4$$

■ 2. What value of c makes the function $f(x)$ continuous if c is a constant?

$$f(x) = \begin{cases} 5x - c & \text{if } x \leq 3 \\ 3x + 4 & \text{if } x > 3 \end{cases}$$

Solution:

Since $f(x)$ is defined as a piecewise function, $5x - c = 3x + 4$ at $x = 3$.

© Krista King Math

$$5(3) - c = 3(3) + 4$$

$$15 - c = 9 + 4$$

$$c = 2$$

■ 3. What value of c makes the function $g(x)$ continuous if c is a constant?

$$g(x) = \begin{cases} x^2 - 4x + 8 & \text{if } x \leq 2 \\ cx - 2 & \text{if } x > 2 \end{cases}$$

Solution:

Since $g(x)$ is defined as a piecewise function, $x^2 - 4x + 8 = cx - 2$ at $x = 2$.

$$2^2 - 4(2) + 8 = c(2) - 2$$

$$4 - 8 + 8 = 2c - 2$$

$$6 = 2c$$

$$c = 3$$

■ 4. What value of c makes the function $f(x)$ continuous if c is a constant?

$$f(x) = \begin{cases} 2x^3 - 6x^2 + 8x + 3 & \text{if } x \leq 1 \\ cx + 9 & \text{if } x > 1 \end{cases}$$

© Krista King Math

Solution:

Since $f(x)$ is defined as a piecewise function, $2x^3 - 6x^2 + 8x + 3 = cx + 9$ at $x = 1$.

$$2(1)^3 - 6(1)^2 + 8(1) + 3 = c(1) + 9$$

$$2 - 6 + 8 + 3 = c + 9$$

$$7 = c + 9$$

$$c = -2$$

■ 5. What value of c makes the function $g(x)$ continuous if c is a constant?

$$g(x) = \begin{cases} \sqrt{x} + 18 & \text{if } x \leq 16 \\ x - 2c & \text{if } x > 16 \end{cases}$$

Solution:

Since $g(x)$ is defined as a piecewise function, $\sqrt{x} = 18 = 4x - 2c$ at $x = 16$.

$$\sqrt{16} + 18 = 16 - 2c$$

$$4 + 18 = 16 - 2c$$

$$22 = 16 - 2c$$

© Krista King Math

$$6 = -2c$$

$$c = -3$$

■ 6. What value of c makes the function $h(x)$ continuous if c is a constant?

$$h(x) = \begin{cases} 11x - 9 & \text{if } x \leq 3 \\ x^2 + 3x + c & \text{if } x > 3 \end{cases}$$

Solution:

Since $h(x)$ is defined as a piecewise function, $11x - 9 = x^2 + 3x + c$ at $x = 3$.

$$11(3) - 9 = 3^2 + 3(3) + c$$

$$33 - 9 = 9 + 9 + c$$

$$24 = 18 + c$$

$$c = 6$$

© Krista King Math



WWW.KRISTAKINGMATH.COM